

References Cited in Chapter 4

- Adams, S.B. & T.C. Bjornn. 1997. Bull trout distribution related to temperature regimes in four central Idaho streams. pp. 371-380. In: W.C. Mackay, M.K. Brewin & M. Monita (ed.) Friends of the bull trout conference proceedings, Bull Trout Task Force, Trout Unlimited Canada, Alberta.
- Adams, B.L., W.S. Zaugg & L.R. McLain. 1973. Temperature effect on parr-smolt transformation in steelhead trout (*Salmo gairdneri*) as measured by gill sodium-potassium stimulated adenosine triphosphatase. Comp. Biochem. Physiol. 44A: 1333-1339.
- Anders, P.J. & L.G. Beckman. 1995. White sturgeon spawning cues in an impounded reach of the Columbia River. pp. 123-140. In: R.C. Beamesderfer & A.A. Nigro (ed.) Status and habitat requirements of the white sturgeon populations in the Columbia River downstream of McNary Dam. Final Rep. of Res. Vol. II - Supplemental papers and data documentation, July 1986 - September 1992., Bonneville Power Admin., Proj. No. 86-50, Contract No. DE-AI79-86BP63584, Portland, OR.
- Baker, P.F., T.P. Speed & F.K. Ligon. 1995. Estimating the influence of temperature on the survival of chinook salmon smolts (*Oncorhynchus tshawytscha*) migrating through the Sacramento-San Joaquin River delta of California. Can. J. Fish. Aquat. Sci. 52: 855-863.
- Banks, J.L., L.G. Fowler & J.W. Elliott. 1971. Effects of rearing temperature on growth, body form, and hematology of fall chinook fingerlings. The Prog. Fish-Cult. 33: 20-26.
- Barton, B.A. & C.B. Schreck. 1987. Influence of acclimation temperature on interrenal and carbohydrate stress responses in juvenile chinook salmon (*Oncorhynchus tshawytscha*). Aquaculture 62: 299-310.
- Beacham, T.D. & R.E. Withler. 1991. Genetic variation in mortality of chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), challenged with high water temperatures. Aquat. Fish. Manage. 22: 125-133.
- Beamesderfer, R.C., T.A. Rein & A.A. Nigro. 1995. Differences in the dynamics and potential production of impounded and unimpounded white sturgeon populations in the Lower Columbia River. Trans. Amer. Fish. Soc. 124: 857-872.
- Becker, C.D. 1973. Food and growth parameters of juvenile chinook salmon, *Oncorhynchus tshawytscha*, in central Columbia River. Fish. Bull. 71: 387-400.
- Bell, M.C. 1986. Fisheries handbook of engineering requirements and biological criteria, U.S. Corps Eng., Fish Pass. Dev. Eval. Prog., Portland, OR.
- Berman, C.H. 1990. The effect of elevated holding temperatures on adult spring chinook salmon reproductive success. pp. 67 + 3 appendices, MS Thesis, Univ. Washington, Seattle, WA.
- Berman, C.H. & T.P. Quinn. 1991. Behavioural thermoregulation and homing by spring chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), in the Yakima River. J. Fish Biol. 39: 301-312.

- Berman, C.H. 1998. Oregon temperature standard review. pp. 52 + appendix, U.S. EPA, Seattle, WA.
- Bisson, P.A., J.L. Nielsen & J.W. Ward. 1988. Summer production of coho salmon stocked in Mount St. Helens streams 3-6 years after the 1980 eruption. *Trans. Amer. Fish. Soc.* 117: 322-335.
- Bjorner, T.C. & D.W. Reiser. 1991. Habitat requirements of salmonids in streams. pp. 83-138. In: W.R. Meehan (ed.) *Influences of forest and rangeland management on salmonid fishes and their habitats*, Amer. Fish. Soc., Bethesda, MD.
- Black, E.C. 1953. Upper lethal temperatures of some British Columbia freshwater fishes. *J. Fish. Res. Board Can.* 10: 196-210.
- Bouck, G.R., G.A. Chapman, P.W. Schneider & D.G. Stevens. 1975. Effects of holding temperature on reproductive development in adult sockeye salmon (*Oncorhynchus nerka*). pp. 24-40. In: J.R. Donaldson (ed.) *26th Annual northwest fish culture conference*, Otter Creek, OR.
- Brenkman, S.J., G.L. Larson & R.E. Gresswell. 2001. Spawning migration of lacustrine-adfluvial bull trout in a natural area. *Trans. Amer. Fish. Soc.* 130: 981-987.
- Brett, J.R. 1952. Temperature tolerance in young Pacific salmon, genus *Oncorhynchus*. *J. Fish. Res. Board Can.* 9: 265-323.
- Brett, J.R., M. Hollands & D.F. Alderdice. 1958. The effect of temperature on the cruising speed of young sockeye and coho salmon. *J. Fish. Res. Board Can.* 15: 587-605.
- Brett, J.R. 1967. Swimming performance of sockeye salmon (*Oncorhynchus nerka*) in relation to fatigue time and temperature. *J. Fish. Res. Board. Can.* 24: 1731-1741.
- Brett, J.R., J.E. Shelbourn, & C.T. Shoop. 1969. Growth rate and body composition of fingerling sockeye salmon, *Oncorhynchus nerka*, in relation to temperature and ration size. *J. Fish. Res. Board Can.* 26: 2363-2394.
- Brett, J.R. 1971. Energetic responses of salmon to temperature. A study of some thermal relations in the physiology and freshwater ecology of sockeye salmon (*Oncorhynchus nerka*). *Amer. Zoologist* 11: 99-113
- Brett, J.R. & N.R. Glass. 1973. Metabolic rates and critical swimming speeds of sockeye salmon (*Oncorhynchus nerka*) in relation to size and temperature. *J. Fish. Res. Board Can.* 30: 379-387.
- Brett, J.R., W.C. Clarke & J.E. Shelbourn. 1982. Experiments on thermal requirements for growth and food conversion efficiency of juvenile chinook salmon *Oncorhynchus tshawytscha*. pp. 29 *Can. Tech. Rep. Fish. Aquat. Sci.*, Dep. Fish. Oceans, Nanaimo, BC.
- Brungs, W.A. & B.R. Jones. 1977. Temperature criteria for freshwater fish: Protocol and procedures. pp. 136, U.S. EPA, Off. Res. Dev., EPA-600/3-77-061, Duluth, Mn.
- Buchanan, D.V. & S.V. Gregory. 1997. Development of water temperature standards to protect and restore habitat for bull trout and other cold water species in Oregon. pp. 119-126. In: W.C. Mackay, M.K. Brewin & M. Monita (ed.) *Friends of the Bull Trout Conference*

Proceedings, Trout Unlimited Canada, Bull Trout Task Force, Calgary.

- Burrows, J., T. Euchner & N. Baccante. 2001. Bull trout movement patterns: Halfway River and Peace River progress. pp. 153-157. In: M.K. Brewin, A.J. Paul & M. Monita (ed.) Bull trout II conference proceedings, Trout Unlimited Canada, Calgary, Alberta.
- Cech, J.J., Jr., S.J. Mitchell & T.E. Wragg. 1984. Comparative growth of juvenile white sturgeon and striped bass: effects of temperature and hypoxia. *Estuaries* 7: 12-18.
- Cech, J.J., Jr. & C.A. Myrick. 1999. Steelhead and chinook salmon bioenergetics: temperature, ration, and genetic effects. pp. 72, Univ. Calif. Water Res. Center, Davis, CA.
- Ching, H.L. & D.R. Munday. 1984. Susceptibility of six Fraser chinook salmon stocks to *Ceratomyxa shasta* and the effects of salinity on ceratomyxosis. *Can. J. Zool.* 62: 1081-1083.
- Clarke, W.C. & J.E. Shelbourn. 1980. Growth and smolting of underyearling coho salmon in relation to photoperiod and temperature. pp. 209-216 Proc. N. Pacific Aquacult. Symp., 1980, Anchorage, AK.
- Clarke, W.C. & J.E. Shelbourn. 1985. Growth and development of seawater adaptability by juvenile fall chinook salmon (*Oncorhynchus tshawytscha*) in relation to temperature. *Aquaculture* 45: 21-31.
- Colgrove, D.J. & J.W. Wood. 1966. Occurrence and control of *Chondroccoccus columnaris* as related to Fraser River sockeye salmon. pp. 51, Int. Pacific Salmon Fish Comm., Prog. Rep. 15, Westminster, BC.
- Connor, W.P., R.K. Steinhorst & H.L. Burge. 1999. Seaward migration by subyearling chinook salmon. pp. 131-158. In: K.F. Tiffan, D.W. Rondorf, W.P. Conner & H.L. Burge (ed.) Identification of the spawning, rearing, and migratory requirements of fall chinook salmon in the Columbia River, Annual Report 1996-1997, Bonneville Power Admin., Proj. No. 91-029, Contract No. DE-AI79-91BP21708, Portland, OR.
- Coon, J.C. 1978. Movement, distribution, abundance and growth of white sturgeon in the Mid-Snake River. PhD Thesis, Univ. Idaho, Moscow, ID. 73 pp.
- Coutant, C.C. 1969. Responses of salmonid fishes to acute thermal shock. pp. 2.19-2.26. In: D.W. Pierce (ed.) Pacific NW Lab. Annual Rep., 1968 to U.S. Corps Eng., Pacific NW Lab., BNWL-1050, Richland, WA.
- Coutant, C.C. 1970. Thermal resistance of adult coho (*Oncorhynchus kisutch*) and jack chinook salmon (*O. tshawytscha*), and steelhead trout (*Salmo gairdneri*) from the Columbia River. pp. 24, Pacific NW Lab., BNWL-1508, Richland, WA.
- Coutant, C.C. 1973. Effects of thermal shock on vulnerability if juvenile salmonids to predation. *J. Fish. Res. Board Can.* 30: 965-973.
- Curet, T.S. 1993. Habitat use, food habits and the influence of predation on subyearling chinook salmon in Lower Granite and Little Goose reservoirs, Washington. MS Thesis, Univ. Idaho, Moscow, ID. 70 pp.

- Dauble, D.D., T.L. Page & J. W. Hanf. 1989. Spatial distribution of juvenile salmonids in the Hanford Reach, Columbia River. Fish. Bull. 87: 775-790.
- Dauble, D.D. & R.P. Mueller. 1993. Factors affecting the survival of upstream migrant adult salmonids in the Columbia River basin. Recovery issues for threatened and endangered Snake River salmon. pp. 72, U.S. Dept. Energy, Portland, OR.
- Dauble, D.D. & D.G. Watson. 1997. Status of fall chinook salmon populations in the Mid-Columbia River, 1948-1992. N. Amer. J. Fish. Manage. 17: 283-300.
- Dean, J.M. & C.C. Coutant. 1968. Lethal temperature relations of juvenile Columbia River chinook salmon. In: R.C. Thompson, P. Teal & E.G. Swezea (ed.) Pacific NW Lab. Annual Rep., 1967, to U.S. Corps Eng., Pacific NW Lab., BNWL-714, Richland, WA.
- DeHart, D.A. 1974. Resistance of three freshwater fishes to fluctuating thermal environments. MS Thesis, Oregon State Univ., Corvallis, OR. 79 pp.
- DeVore, J.D., B.W. James, C.A. Tracy & D.A. Hale. 1995. Dynamics and potential production of white sturgeon in the unimpounded Lower Columbia River. Trans. Amer. Fish. Soc. 124: 845-856.
- Donaldson, L.R. & F.J. Foster. 1941. Experimental study of the effect of various water temperatures on the growth, food utilization, and mortality rates of fingerling sockeye salmon. Trans. Amer. Fish. Soc. 70: 339-346.
- Elle, S. 1995. Bull trout investigations. Rapid River bull trout movement and mortality studies. pp. 98, Idaho Dept. Fish Game, Fish. Res., Annual Perf. Rep. 95-33.
- Farrell, A.P. 1997. Effects of temperature on cardiovascular performance. pp. 135-158. In: C.M. Wood & D.G. McDonald (ed.) Global warming, implications for freshwater and marine fish, Cambridge Univ. Press, Cambridge, UK.
- Ferguson, R.G. 1958. The preferred temperature of fish and their midsummer distribution in temperate lakes and streams. J. Fish. Res. Board Can. 15: 607-624.
- Fish, F.F. & M.G. Hanavan. 1948. A report upon the Grand Coulee fish-maintenance project 1939-1947. pp. 63, U.S. Fish Wild. Serv., Special Sci. Rep. 55.
- Flett, P.A., K.R. Munkittrick, G. VanDerKraak & J.F. Leatherland. 1996. Overripening as the cause of low survival to hatch in Lake Erie coho salmon (*Oncorhynchus kisutch*) embryos. Can. J. Zool. 74: 851-857.
- Foerster, R.E. 1937. The relationship of temperature to the seaward migration of young sockeye salmon (*Oncorhynchus nerka*). J. Fish. Res. Board Can. 3: 421-438.
- Fraley, J.J. & B.B. Shepard. 1989. Life history, ecology, and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. NW Sci. 63: 133-143.
- Frissell, C.A. 1992. Cumulative effects of land use on salmonid habitat on southwest Oregon streams. PhD Thesis, Oregon State Univ., Corvallis, OR. 227 pp.

- Fryer, J.L. & K.S. Pilcher. 1974. Effects of temperature on diseases of salmonid fishes. pp. 92 + appendices, U.S. EPA, Off. Res. Dev., EPA-660/3-73-020, Washington, DC.
- Fryer, J.L., K.S. Pilcher, J.E. Sanders, J.S. Rohovec, J.L. Zinn, W.J. Groberg & R.H. McKoy. 1976. Temperature, infectious diseases, and the immune response in salmonid fish. pp. 56 + appendix, U.S. EPA.
- Goetz, F.A. 1997. Distribution of bull trout in Cascade Mountain streams of Oregon and Washington. pp. 237-248. In: W.C. Mackay, M.K. Brewin & M. Monita (ed.) Friends of the bull trout conference proceedings, Bull Trout Task Force, Trout Unlimited Canada, Alberta.
- Great Lakes Fishery Laboratory. 1970. Physical and ecological effects of waste heat on Lake Michigan. pp. 105, National Mar. Fish. Serv., Ann Arbor, MI.
- Groberg, W.J., Jr., R.H. McCoy, K.S. Pilcher & J.L. Fryer. 1978. Relation of water temperature to infections of coho salmon (*Oncorhynchus kisutch*), chinook salmon (*O. tshawytscha*) and steelhead trout (*Salmo gairdneri*) with *Aeromonas salmonicida* and *A. hydrophila*. J. Fish. Res. Board. Can. 35: 1-7.
- Groves, P.A. & J.A. Chandler. 1999. Spawning habitat used by fall chinook salmon in the Snake River. N. Amer. J. Fish. Manage. 19: 912-922.
- Haas, G.R. 2001. The mediated associations and preference of native bull trout and rainbow trout with respect to maximum water temperature, its measurement standards, and habitat. pp. 53-55. In: M.K. Brewin, A.J. Paul & M. Monita (ed.) Bull trout II conference proceedings, Trout Unlimited Canada, Calgary, Alberta.
- Hahn, P.K.J. 1977. Effects of fluctuating and constant temperature on behavior of steelhead trout (*Salmo gairdneri*). PhD Thesis, Univ. Idaho, Moscow, ID. 129 pp.
- Hallock, R.J., R.F. Elwell & D.H. Fry. 1970. Migrations of adult king salmon *Oncorhynchus tshawytscha* in the San Joaquin Delta as demonstrated by the use of sonic tags. pp. 79 + 6 appendices, Calif. Dep. Fish Game, Fish Bull. 151, Sacramento, CA.
- Harmon, R., J.S. Foote & K. Nichols. 2001 (Draft). FY2000 Investigational report: physiological responses of juvenile chinook salmon held in the Lower Klamath River and thermal refugia (June-August 2000). pp. 26, U.S. Fish Wildl. Serv., Calif.-Nevada Fish Health Center, Anderson, CA.
- Healey, M.C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). pp. 311-393. In: C. Groot & L. Margolis (ed.) Pacific salmon life histories, Univ. BC Press, Vancouver, BC.
- Hicks, M. 2001. Evaluating standards for protecting aquatic life in Washington's surface water quality standards temperature criteria - Draft discussion paper and literature summary. pp. 148 + exhibit, Washington State Dept. Ecology, Water Qual. Prog., Pub. No. 00-10-070, Olympia, WA.
- Hinze, J.A., A.N. Culver & G.V. Rice. 1956. Annual report: Nimbus salmon and steelhead hatchery, fiscal year 1955-56, Calif. Dep. Fish Game, Inland Fish. Admin. Rep. No. 56-25 (cited in Marine 1992).

- Hokanson, K.E.F., C.F. Kleiner & T.W. Thorslund. 1977. Effects of constant temperature and diel temperature fluctuations on specific growth and mortality rates and yield of juvenile rainbow trout (*Salmo gairdneri*). J. Fish. Res. Board Can. 34: 639-648.
- Holt, R.A., J.E. Sanders, J.L. Zinn, J.L. Fryer & K.S. Pilcher. 1975. Relation of water temperature to *Flexibacter columnaris* infection in steelhead trout (*Salmo gairdneri*) and coho (*Oncorhynchus kisutch*) and chinook (*O. tshawytscha*) salmon. J. Fish. Res. Board Can. 32: 1553-1559.
- Independent Scientific Group. 1996. Return of the river. pp. 522 + 6 appendices, Northwest Power Plan. Council.
- Jobling, M. 1981. Temperature tolerance and the final preferendum - rapid methods for the assessment of optimum growth temperatures. J. Fish. Biol. 19: 439-455.
- Jobling, M. 1996. Temperature and growth: Modulation of growth rate via temperature change. pp. 225-253. In: C.M. Wood & D.G. McDonald (ed.) Global warming: Implications for freshwater and marine fish, Cambridge Univ. Press, Cambridge.
- Leitzitz, E. & R.C. Lewis. 1976. Trout and salmon culture. pp. 197 Calif. Dept. Fish Game, Fish Bull. 164.
- Lepla, K.B. 1994. White sturgeon abundance and associated habitat in Lower Granite Reservoir, Washington. MS Thesis, Univ. Idaho, Moscow, ID. 77 pp.
- Lohr, S., S. Duke, T. Cummings & W. Fredenberg. 2001. Listing of bull trout as a threatened species in the United States and initial steps in recovery planning. pp. 199-205. In: M.K. Brewin, A.J. Paul & M. Monita (ed.) Bull trout II conference proceedings, Trout Unlimited Canada, Calgary, Alberta.
- Mackie, T.J., J.A. Arkwright, T.E. Pryce-Tannatt, J.C. Mottram, W.D. Johnson, W.J.M. Menzies & Others. 1933. Second interim report of the furunculosis committee. pp. 81, H.S. Stationery, Edinburgh, England (cited in Groberg et al. 1978).
- Major, R.L. & J.L. Michell. 1966. Influence of Rocky Reach Dam and the temperature of the Okanogan River on the upstream migration of sockeye salmon. Fish. Bull. 66: 131-147.
- Marine, K.R. 1992. A background investigation and review of the effects of elevated water temperature on reproductive performance of adult chinook salmon (*Oncorhynchus tshawytscha*). pp. 30 + 2 appendices, Dep. Wildl. Fish. Biol., Univ. California, Davis, CA.
- Maule, A.G., R.A. Tripp, S.L. Kaattari & C.B. Schreck. 1989. Stress alters immune function and disease resistance in chinook salmon (*Oncorhynchus tshawytscha*). J. Endocrinol. 120: 135-142.
- McCabe Jr., G.T., and C.A. Tracy. 1994. Spawning and early life history of white sturgeon, *Acipenser transmontanus*, in the lower Columbia River. Fish. Bull. 92:760-772.
- McCullough, D.A. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to chinook salmon. pp. 279, U.S. EPA, Region 10, Seattle, WA.

- McCullough, D., S. Spalding, D. Sturdevant & M. Hicks. 2001. Issue paper 5, summary of technical literature examining the physiological effects of temperature. pp. 114. Region 10 temperature water quality criteria guidance development project, U.S. EPA, Seattle, WA.
- McMahon, T., A. Zale, J. Selong & R. Burrows. 1998. Growth and survival temperature criteria for bull trout, Ann. Rep. 1998 (year one). pp. 12, Montana State Univ. and U.S. Fish Wildl. Serv., Bozeman Fish Tech. Center, Bozeman, MT.
- McMahon, T., A. Zale, J. Selong & R. Burrows. 1999. Growth and survival temperature criteria for bull trout, Ann. Rep. 1999 (year two). pp. 23 + appendix, Montana State Univ. and U.S. Fish Wildl. Serv., Bozeman Fish Tech. Center, Bozeman, MT.
- McPhail, J.D. & C.B. Murray. 1979. The early life history and ecology of dolly varden (*Salvelinus malma*) in the Upper Arrow Lakes. pp. 107 + 3 appendices, Report to B.C. Hydro & Power Authority and Kootenay Reg. Fish Wildl., Univ. B.C., Vancouver.
- Mesa, M.G. 1994. Effects of multiple acute stressors on the predator avoidance ability and physiology of juvenile chinook salmon. Trans. Amer. Fish. Soc. 123: 786-793.
- Mesa, M.G., T.P. Poe, A.G. Maule & C.B. Schreck. 1998. Vulnerability to predation and physiological stress responses in juvenile chinook salmon (*Oncorhynchus tshawytscha*) experimentally infected with *Renibacterium salmoninarum*. Can. J. Fish Aquat. Sci. 55: 1599-1606.
- Monan, G.E., J.H. Johnson & G.F. Esterberg. 1975. Electronic tags and related tracking techniques aid in study of migrating salmon and steelhead trout in the Columbia River basin. Mar. Fish. Rev. 37: 9-15.
- Mongillo, P.E. 1993. The distribution and status of bull trout/dolly varden in Washington State, June 1992. pp. 24 + 6 appendices, Washington Dept. Fish., Olympia, WA.
- Myrick, C.A. & J.J. Cech, Jr. 2001. Temperature effects on chinook salmon and steelhead: a review focusing on California's Central Valley populations. pp. 86, Dep. Water Resources, Sacramento, CA.
- National Science & Technology Council. 2000. From the edge, science to support restoration of Pacific salmon. pp. 49 + 2 appendices, Comm. Environ. Natur. Resources, Washington, DC.
- Nielsen, J.L., T.E. Lisle & V. Ozaki. 1994. Thermally stratified pools and their use by steelhead in northern California streams. Trans. Amer. Fish. Soc. 123: 613-626.
- North, J.A., R.C. Beamesderfer & T.A. Rien. 1993. Distribution and movements of white sturgeon in three Lower Columbia River reservoirs. NW Sci. 67: 105-111.
- Ordal, E.J. & R.R. Rucker. 1944. Pathogenic myxobacteria. Proc. Soc. Exp. Biol. Med. 56: 15-18.
- Ordal, E.J. & R.E. Pacha. 1963. The effects of temperature on disease in fish. pp. 39-56. In: E.F. Eldridge (ed.) Water temperature--Influences, effects, and control, Proc. Twelfth Pacific NW Sym. Water Poll. Res., Corvallis, OR.
- Oregon Department of Environmental Quality. 1995. Final issue paper, 1992-1994 water quality

standard review, temperature, Dept. of Environ. Qual., Standards & Assessment Sec., Portland, OR.

- Pacha, R.E. & E.J. Ordal. 1970. Myxobacterial diseases of salmonids. pp. 243-257. In: S.F. Sniezko (ed.) A symposium on diseases of fishes and shellfishes, Am. Fish. Soc., Spec. Pub. No. 5, Washington DC.
- Parsley, M.J., L.G. Beckman & G.T. McCabe, Jr.. 1993. Spawning and rearing habitat used by white sturgeons in the Columbia River downstream from McNary Dam. Trans. Am. Fish. Soc. 122: 217-227.
- Parsley, M.J. & L.G. Beckman. 1994. White sturgeon spawning and rearing habitat in the Lower Columbia River. N. Amer. J. Fish. Manage. 14: 812-827.
- Ratliff, D.E. & P.J. Howell. 1992. The status of bull trout populations in Oregon. pp. 10-17. In: P.J. Howell & D.V. Buchanan (ed.) Proceedings of the Gearhart Mountain bull trout workshop, Oregon Chapter, Amer. Fish. Soc., Corvallis, OR.
- Reeves, G.H., F.H. Everest & J.D. Hall. 1987. Interaction between redside shiner (*Richardsonius balteatus*) and steelhead trout (*Salmon gairdneri*) in western Oregon: the influence of water temperature. Can. J. Fish. Aquat. Sci. 44: 1603-1613.
- Rieman, B.E., D.C. Lee & R.F. Thurow. 1997. Distribution, status, and likely future trends of bull trout within the Columbia River and Klamath River basins. N. Amer. J. Fish. Manage. 17: 1111-1125.
- Saffel, P.D. & D.L. Scarneccchia. 1995. Habitat use by juvenile bull trout in belt-series geological watersheds of northern Idaho. NW Sci. 69: 304-317.
- Schill, D., R. Thurow & P. Kline. 1994. Seasonal movement and spawning mortality of fluvial bull trout in Rapid River, Idaho. Wild trout evaluations. pp. 29 + 2 appendices, Idaho Dept. Fish Game, Fish. Res., Job Perf. Rep. 94-13.
- Selong, J.H., T.E. McMahon, A.V. Zale & F.T. Barrows. 2001. Effect of temperature on growth and survival of bull trout, with application of an improved method for determining thermal tolerance in fishes. Trans. Amer. Fish. Soc. 103: 1026-1037.
- Servizi, J.A. & J.O.T. Jensen. 1977. Resistance of adult sockeye salmon to acute thermal shock. pp. 11, Inter. Pacific Salmon Fish. Comm., Prog. Rep. No. 34, New Westminster, BC.
- Shepard, B.B., K.L. Pratt & P.J. Graham. 1984. Life histories of westslope cutthroat and bull trout in the upper Flathead River basin, Montana. pp. 85 + 3 appendices, U.S. EPA, Region 8, Contract No. R008224-01-5, Denver, CO.
- Shepard, B. 1985. Habitat variables related to bull trout spawning site selection and thermal preference exhibited in a thermal gradient. pp. 18. In: D.D. MacDonald (ed.) Proceedings of the Flathead River basin bull trout biology and population dynamics modeling exchange, July 24-25, 1985, Fish. Branch, Ministry Environ., Cranbrook, BC.
- Stabler, D.F., R.G. White, R.R. Ringe & T.C. Bjornn. 1981. Effects of altered flow regimes, temperatures and river impoundment on adult steelhead trout and chinook salmon. pp. 80 + 3 appendices, Idaho Coop. Fish. Res. Unit, Moscow, ID.

- Stabler, D.F. 1981. Effects of altered flow regimes, temperatures, and river impoundment on adult steelhead trout and chinook salmon. MS, Univ. Idaho, Moscow, ID. 84 pp.
- Stein, R.A., P.E. Reimers & J.D. Hall. 1972. Social interactions between juvenile coho (*Oncorhynchus kisutch*) and fall chinook salmon (*O. tshawytscha*) in Sixes River, Oregon. *J. Fish. Res. Board Can.* 29: 1737-1748.
- Sullivan, K., D.J. Martin, R.D. Cardwell, J.E. Toll & S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria, Sustainable Ecosystems Institute, Portland, OR.
- Swanberg, T. 1996. The movement and habitat use of fluvial bull trout in the Upper Clark Fork River drainage. MS Thesis, Univ. Montana. 61 pp.
- Thiesfeld, S.L., A.M. Stuart, D.E. Ratliff & B.D. Lampman. 1996. Migration patterns of adult bull trout in the Metolius River and Lake Billy Chinook, Oregon, Information Rep. 96-1, Oregon Dept. Fish Wildl., Fish Div.
- Thomas, R.E., J.A. Gharrett, M.G. Carls, S.D. Rice, A. Moles & S. Korn. 1986. Effects of fluctuating temperature on mortality, stress, and energy reserves of juvenile coho salmon. *Trans. Amer. Fish. Soc.* 115: 52-59.
- Tiffan, K.F., D.W. Rondorf, W.P. Connor & H.L. Burge. 1999. Port-release attributes and survival of hatchery and natural fall chinook salmon in the Snake river, Annual Report 1998. pp. 166 + 22 appendices, Bonneville Power Admin., Proj. No. 91-029, Portland, OR.
- Udey, L.R., J.L. Fryer & K.S. Pilcher. 1975. Relationship of water temperature to ceratomyxosis in rainbow trout (*Salmo gairdneri*) and coho salmon (*Oncorhynchus kisutch*). *J. Fish. Res. Board Can.* 32: 1545-1551.
- Vigg, S. & C.C. Burley. 1991. Temperature-dependent maximum daily consumption of juvenile salmonids by northern squawfish (*Ptychocheilus oregonensis*) from the Columbia River. *Can. J. Fish. Aquat. Sci.* 48: 2491-2498.
- Vigg, S., T.P. Poe, L.A. Prendergast & H.C. Hansel. 1991. Rates of consumption of juvenile salmonids and alternate prey fish by northern squawfish, walleyes, smallmouth bass, and channel catfish in John Day Reservoir. *Trans. Amer. Fish. Soc.* 120: 421-438.
- Wagner, H.H. 1974. Photoperiod and temperature regulation of smolting in steelhead trout (*Salmo gairdneri*). *Can. J. Zool.* 52: 219-234.
- Wang, Y.L., F.P. Binkowski & S.I. Doroshov. 1985. Effect of temperature on early development of white and lake sturgeon, *Acipenser transmontanus* and *A. fulvescens*. pp. 43-50. In: F.P. Binkowski & S.I. Doroshov (ed.) North American sturgeons: biology and aquaculture potential, Dr. W. Junk Publishers, Dordrecht, Netherlands.
- Wang, Y.L., R.K. Buddington & S.I. Doroshov. 1987. Influence of temperature on yolk utilization by white sturgeon, *Acipenser transmontanus*. *J. Fish Biol.* 30: 263-271.
- Wedemeyer, G.A., R.L. Saunders & W.C. Clarke. 1980. Environmental factors affecting smoltification and early marine survival of anadromous salmonids. *Mar. Fish. Review* 42: 1-14.

- Welsh, H.H., Jr., G.R. Hodgson, B.C. Harvey & M.F. Roche. 2001. Distribution of juvenile coho salmon in relation to water temperature in tributaries of the Mattole River, California. N. Amer. J. Fish. Manage. 21: 464-470.
- Wurtsbaugh, W.A. & G.E. Davis. 1977. Effects of fish size and ration level on the growth and food conversion efficiency of rainbow trout, *Salmo gairdneri* Richardson. J. Fish. Biol. 11: 99-104.
- Wydoski, R.S., and R.R. Whitney. 1979. Inland fishes of Washington. Univ. Washington Press, Seattle, WA 220 p.
- Zaugg, W.S., B.L. Adams & L.R. McLain. 1972. Steelhead migration: Potential temperature effects as indicated by gill adenosine triphosphatase activities. Science 176: 415-416.
- Zaugg, W.S. & H.H. Wagner. 1973. Gill ATPase activity related to parr-smolt transformation and migration in steelhead trout (*Salmo gairdneri*): Influence of photoperiod and temperature. Comp. Biochem. Physiol. 45B: 955-965.
- Zaugg, W.S. & L.R. McLain. 1976. Influence of water temperature on gill sodium, potassium-stimulated ATPase activity in juvenile coho salmon (*Oncorhynchus kisutch*). Comp. Biochem. Physio. 54A: 419-421.
- Zaugg, W.S. 1981. Advanced photoperiod and water temperature effects on gill Na⁺-K⁺ adenosine triphosphatase activity and migration of juvenile steelhead (*Salmo gairdneri*). Can J. Fish. Aquat. Sci. 38: 758-764.
- Zinn, J.L., K.A. Johnson, J.E. Sanders & J.L. Fryer. 1977. Susceptibility of salmonid species and hatchery strains of chinook salmon (*Oncorhynchus tshawytscha*) to infections by *Ceratomyxa shasta*. J. Fish. Res. Board Can. 34: 933-936.